



LED BR30

7.2BR30/PER/930/P/E26/DIM 6/1FB T20

Philips BR30 LED lamps are the smart alternative to standard incandescent. The traditional lamp design can provide excellent dimming performance with spectacular energy savings. They provide the beautiful light and dependable performance you expect from LED at an economical price.

Product data


General information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000
Technical Type	7.2-65W
Tier	CorePro
Wattage Equivalent 65 W	
Starting Time (Nom) 0.5 s	
Warm Up Time to 60% Light (Nom) 0.5 s	
Power Factor (Nom) 0.7	
Voltage (Nom) 120 V	
Temperature	
T-Case Maximum (Nom) 167 °F	
Controls and dimming	
Dimmable Yes	
Mechanical and housing	
Bulb Finish Frosted	
Bulb Material Plastic	
Bulb Shape BR30	
Approval and application	
Energy Consumption kWh/1000 h - kWh	
Energy Certifications Energy Star	
Product data	
Order product name 7.2BR30/PER/930/P/E26/DIM 6/1FB T20	

LED BR30

EAN/UPC - Product	046677545901
Order code	545905
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

Material Nr. (12NC)	929002032104
Net Weight (Piece)	0.132 lb


Dimensional drawing




7.2BR30/PER/930/P/E26/DIM 6/1FB T20

Product	D	C
7.2BR30/PER/930/P/E26/DIM 6/1FB T20	3-3/4 in	5-1/4 in


Photometric data



LEDBulbs_BR30 120V 72-65W 650lm 3000K E26 D



LEDBulbs_BR30 120V 72-65W 650lm 3000K E26 D





© 2022 Philips Lighting B.V. Page 11

LEDBulbs_BR30 120V 72-65W 650lm 3000K E26 D

LED BR30

Lifetime



LEDBulbs BR30 120V 19-120W 1200lm 2700K E26 D

LEDBulbs BR30 120V 19-120W 1200lm 2700K E26 D

